

Parasite protocol

Ingredients:

- Fenbendazole (Cattle/Goat Safeguard-Liquid 100mg/1mL) (FNBN) with high fatty food
- Ivermectin (Equine Bimectin-Paste) (IVM) on empty stomach
- Oxfendazole (Cattle/Goat Synanthic-Liquid 22.5%) (OXF) with high fatty food
- Moxidectin (Equine Quest-Paste) (MOX) on empty stomach
- MesoSilver (AGNP) late at night 1 hour after food orally, rectally, or nebulizer
 - *Mesosilver is AG2 based. Avoid AG+ based colloidal silver products while taking doxycycline.
- Psyllium Husk Fiber- late at night 1 hour after food (PF)
- Mineral Oil – late at night 1 hour after food (MinO)
- Harris Food Grade Diatomaceous Earth (DE)
- Doxycycline (DOXY) (optional) 2x daily for 14 days – repeat for 3 months, then discontinue (do not take with Mesosilver)

Disclaimer: I am not a medical professional and cannot predict or guarantee results. The approach is broad spectrum to target most types of parasites. The presented information is compiled from various research. If you choose to try the protocol, be sure to seek medical advice from a professional.

Vendor Recommendations

- Valley Vet - <https://www.valleyvet.com>
- Jeffers Pet - <https://www.jefferspet.com>
- Revival - <https://www.revivalanimal.com>
- Animal Health International - <https://www.animalhealthinternational.com>
- Apex Energetics - <https://www.apexenergetics.com>
- Purest Colloids - <https://www.purestcolloids.com>

Helpful Vitamins/Supplements

- Elemental Zinc – 17-25 mg 2x/day
- Vitamin C – 1000 mg/day per 25 lbs
- Vitamin D – 1000 iu/day per 10 lbs
- Saccharomyces Boulardii
- Probiotics – 5 billion CFU, minimum of 11 strains
- Mimosa Pudica

Protocol Info

Protocol A – this is a monthly protocol and should be the initial attempted protocol; follow with Protocol B – if Herxheimer Reactions are severe, reduce dosage or discontinue until the reactions have stopped

Protocol B – this is a 1-month protocol based on Fenbendazole and Ivermectin only, with both taken for a longer period to deal with persistent infections; try repeating before moving back to Protocol A or moving on to Protocol C

* Try this protocol if dealing with a difficult infection or developing resistance

Protocol C – this is a monthly protocol and should be started repeatedly no sooner than 6 months when parasites are no longer detected in the stool

Suggested Approach:

Start off with Protocol A for the first month. You may want to initially start with half doses to determine how well your body tolerates it. Once you've completed a single iteration of Protocol A roll right into Protocol B for 2 months. This will cover the first 3 months. Then repeat Protocol A for the next 3 months. Finally, start Protocol C at 6 months if parasites are no longer detected in stool.

Ingredient Information

Acronym	Ingredient	Price	Qty	URL	Dosing	110 lbs	220 lbs
FNBN	Safeguard Liquid Fenbendazole	\$139.95	1 L	Valley Vet, Jeffers Pet, Revival, Animal Health International	50 mg/kg	25 mL	50 mL
IVM	1.87% Ivermectin	\$7.99	6.08 G	Valley Vet, Jeffers Pet, Revival, Animal Health International	0.2 mg/kg	10 mg	20 mg
OXF	Synanthic Oxfendazole 22.5%	\$134.49	500 mL	Valley Vet, Jeffers Pet, Revival, Animal Health International	17-20 mg/kg	850 mg (3.75 mL)	1700 mg (7.5 mL)
MOX	Quest Moxidectin	\$11.99	14.4 G	Valley Vet, Jeffers Pet, Revival, Animal Health International	0.5 mg/kg	25 mg	50 mg
AGNP	Mesosilver	\$52.87	500 mL	https://www.purestcolloids.com/mesosilver.php	30 mL		
DOXY	Fishbiotics Doxycycline	\$44.99	100 mg 30 ct	Valley Vet	100 mg 2x/day		
DE	Harris Food Grade Diatomaceous Earth	\$9.99	4 lbs	Home Depot	1 TBSP		
MinO	Mineral Oil			Web search	3 Tsp		
PF	Psyllium Husk Fiber			Web search	2 TBSP		

Protocol A - Monthly Calendar

1 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	2 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	3 - Full Moon DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	4 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	5 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	6 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	7 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)
8 DOXY 100mg (AM) *AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) DOXY 100mg (PM)	9 DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)	10 DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)	11 DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)	12 DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)	13 DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)	14 DOXY 100mg (AM) IVM 0.2mg/kg *AGNP 30mL DOXY 100mg (PM)
15 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	16 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	17 OXF 17mg/kg AGNP 30mL	18 - New Moon OXF 17mg/kg AGNP 30mL	19 OXF 17mg/kg AGNP 30mL	20 AGNP 30mL 2 TBSP PF 3 Tsp MinO 1 TBSP DE	21 AGNP 30mL 2 TBSP PF 3 Tsp MinO 1 TBSP DE
22 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	23 MOX 0.5mg/kg AGNP 30mL	24 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	25 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	26 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	27 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	28 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE
29 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	30 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	*note: on days 1-14, take either DOXY or AGNP, but not both.				

Protocol B – Monthly Calendar

1 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	2 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	3 - Full Moon DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	4 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	5 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	6 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)	7 DOXY 100mg (AM) *AGNP 30mL DOXY 100mg (PM) FNBN 50mg/kg (PM)
8 DOXY 100mg (AM) *AGNP 0.25mL/1.0lb DOXY 100mg (PM) FNBN 50mg/kg (PM)	9 DOXY 100mg (AM) *AGNP 0.25mL/1.0lb DOXY 100mg (PM) FNBN 50mg/kg (PM)	10 DOXY 100mg (AM) *AGNP 0.25mL/1.0lb DOXY 100mg (PM) FNBN 50mg/kg (PM)	11 DOXY 100mg (AM) *AGNP 0.25mL/1.0lb DOXY 100mg (PM) FNBN 50mg/kg (PM)	12 DOXY 100mg (AM) *AGNP 0.25mL/1.0lb DOXY 100mg (PM) FNBN 50mg/kg (PM)	13 DOXY 100mg (AM) *AGNP 0.25mL/1.0lb DOXY 100mg (PM) FNBN 50mg/kg (PM)	14 DOXY 100mg (AM) *AGNP 0.25mL/1.0lb DOXY 100mg (PM) FNBN 50mg/kg (PM)
15 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	16 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	17 IVM 0.2mg/kg AGNP 30mL	18 - New Moon IVM 0.2mg/kg AGNP 30mL	19 IVM 0.2mg/kg AGNP 30mL	20 IVM 0.2mg/kg AGNP 30mL	21 IVM 0.2mg/kg AGNP 30mL
22 IVM 0.2mg/kg AGNP 30mL	23 IVM 0.2mg/kg AGNP 30mL	24 IVM 0.2mg/kg AGNP 30mL	25 IVM 0.2mg/kg AGNP 30mL	26 IVM 0.2mg/kg AGNP 30mL	27 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	28 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE
29 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	30 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	*note: on days 1-14, take either DOXY or AGNP, but not both.				

Protocol C – Monthly Calendar

1 AGNP 30mL OXF 20mg/kg	2 AGNP 30mL OXF 20mg/kg	3 - Full Moon AGNP 30mL OXF 20mg/kg	4 AGNP 30mL OXF 20mg/kg	5 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	6 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	7 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE
8 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	9 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	10 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	11 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	12 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	13 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	14 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE
15 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	16 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	17 AGNP 30mL MOX 0.5mg/kg	18 - New Moon AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	19 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	20 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	21 AGNP 30mL 2 TBSP PF (PM)) 1 TBSP DE
22 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	23 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	24 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	25 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	26 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	27 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE	28 AGNP 30mL 2 TBSP PF (PM) 3 Tsp MinO (PM) 1 TBSP DE
29 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE	30 AGNP 30mL 2 TBSP PF (PM) 1 TBSP DE					

Symptoms

Symptoms of parasitic infections may vary from person to person. While we do not know for sure, approach this with the idea that parasitic infections may be the root cause of most of the ailments that we encounter during our lifetimes. Here is an incomplete list of symptoms that may be caused by parasitic infections:

- Cancer – various types
- Fatigue/lethargy
- Forgetfulness
- Difficulty concentrating
- Dizziness
- Anxiety
- Depression
- Mood swings
- Nervousness
- Fibromyalgia
- Numbness in hands or feet
- Restless leg syndrome
- Seizures
- Teeth grinding
- Difficulty sleeping
- Night sweats

Frequent urination (especially at night)
Waking up in the middle of the night for a bowel movement
Chronic UTIs
Stinging or burning sensation in intestines
Distended belly
Diarrhea
Blood in stool
Hemorrhoids
Constipation
IBS/IBD
Crohn's disease
Ulcers
Ulcerative colitis
Bloating/gas especially after eating
Abdominal pain/cramps
Bubbly gut, more than usual
Acid reflux
Pancreatitis
Unexplained weight loss or gain
Acne
Cysts
Eczema
Skin rashes
Hair loss
Body odor
Bad breath
Athlete's foot
Ringworm
Vertical ridges on fingernails – lack of nutrient uptake
Vitamin deficiencies – even if taking supplements
Allergy related symptoms (runny nose, dry cough, red eyes, dermatitis, etc)
Autoimmune disorders
Diabetes
High blood pressure
Heart disease
Chest pain
Muscle cramps
Joint pain
Breathing problems
Chronic infections

If you have a symptom that is not included, do a web search for your symptom and parasites. Chances are, you'll find a correlation.

Notes

Start protocol 2 days BEFORE Full Moon OR New Moon.

We do not know the effectiveness of some of the available supplements such as wormwood, black seed oil, and black walnut hull. They may or may not be effective at killing parasites. The problem is, there are so many vendors in the supplements market and little to no regulation. How pure are the products? What is the effective dosing to kill parasites? We've seen too many reports of people taking these products claiming that it feels like their parasites scatter throughout their body. The goal is to paralyze, starve, and kill them, not force them into hiding. Since we cannot prove the effectiveness of these supplements, we encourage people to avoid them during the early stages of the protocol and stick with the active ingredients (fenbendazole, oxfendazole, ivermectin, moxidectin) that we know are highly regulated and tested.

It is not necessary to go on a low carb diet. Parasites feed off sugar. The medication is most effective when parasites are aggregated in our gut/intestines trying to feed. If you starve them, they may go into hibernation.

Vitamin C is a crucial ingredient with doxycycline for cancer treatment. Multi-vitamins are also very important with fenbendazole or oxfendazole to treat cancer. Zinc is a crucial ingredient for fighting viral infections. The ingredients in this protocol have shown in medical research to eliminate many cancers from leukemia to breast to stomach.

If taking MesoSilver orally, take 30 minutes before food, let sit under tongue for 60 seconds for maximum absorption, and swallow. Mesosilver (AG2) is not the same as ionized silver (AG+). Ionized silver breaks down immediately because silver ions are converted into silver chloride. Don't just take any colloidal silver and think you'll get the same results. If you're battling cancer, MesoSilver dosing can be increased to 60-100 mL.

Doxycycline is an optional product that may be taken with the protocol and is included in the regimen. If doxycycline can't be obtained, know that Mesosilver can do everything doxycycline does in addition to targeting fungus and single cell parasites.

The use of probiotics and *Saccharomyces Boulardii* can help regulate bacteria in the stomach and prevent yeast overgrowth that can be caused from taking antibiotics and/or Mesosilver.

Mineral oil can be substituted with other oils such as olive oil and coconut oil.

The listed medications and associated URLs are not endorsements. The URLs reflect the lowest price that found at the time. Valley Vet also has many of the ingredients available at a comparable cost.

The protocol calls for specific medications on specific days to account for the fact that parasites can develop resistance to medications. If you complete multiple cycles starting on the full moon and notice it becoming less effective over time, try switching to a new moon cycle.

As parasites die off, they may release bacteria and toxins within the body which is referred to as a Herxheimer Reaction. The Herxheimer Reaction is an immune system reaction to the toxins (endotoxins) that are released when large amounts of pathogens are being killed off, and the body does not eliminate the toxins quickly enough. As the body detoxifies, it is not uncommon to experience flu-like symptoms

including fever, headache, joint and muscle pain, body aches, sore throat, general malaise, sweating, chills, nausea, vertigo, light-headedness, or other symptoms. If the symptoms are extreme (i.e., back off the protocol and resume once symptoms clear up. Being able to handle these toxins with antioxidants and super green food chelators minimizes damage done. Expect to have some type of Herxheimer Reaction.

Also, this is a “repeat until all symptoms are gone, and no fecal worms/eggs present for 3 consecutive months”. Monthly Doses of moxidectin can be taken prophylactically to prevent repeat infections. A one-month protocol should be completed 1-2x per year afterward for most effective results.

Always take fenbendazole and oxfendazole with fatty meals for absorption purposes.

Lastly, this document will continue to evolve over time. Regimens may be altered to target specific parasites once they have been identified.

Useful Resources

<https://debugyourhealth.com/parasites-in-humans/#Parasite-Prevention>

<https://www.mycancerstory.rocks/>

<https://search.nih.gov/search?affiliate=nih&query=parasites+and+cancer> - use the search bar to conduct additional queries

https://mmsinfo.org/protocols/Kalcker_Parasite_Protocol-K._Rivera_2014_book.pdf

Sharkman’s Protocol found on the Human Parasite Support Network – group has a lot of good information and people who share their experiences with parasites, but keep in mind, some also try products not recommended in this protocol:

<https://www.facebook.com/groups/HumanParasites/permalink/428226290925742/>